

## characteristics Isitec 3 with glides and footring

Article: 9613 integral foam

Dimensions in mm	Backrest:	H:	340
	Seat:	H:	580-850
		B:	440
		T:	410
Packing data	Weight	kg	14,0
	Volume	m³	0,13



### Base equipment

### Benefit

Backrest	Ergonomically designed, high backrest to take the strain off the spine and muscles This is achieved by means of its special shape: wide at the bottom and narrow at the top	The backrest optimum support for your lumbar region whilst allowing your arms and upper body the space and freedom they need higher up in order to move around
	Backrest height adjustment convenient and easy to handle in sitting position	The amount of the support can be provided in accordance with the user's body size
	Carrying handle integrated	Suitable to handle the chair more easily
Seat	Ergonomically designed, extra high seat. With rounded front edge	The round front edge of the seat prevents blocked circulation in the thighs
Seat and backrest design	Integral foam (PU): The new developed SoftTouch integral foam provides the ultimate softness in seating, is washable and resistant to external influences Colour: Black (2000)	The use of integral foam is recommended for work environments where the chair is in contact with aggressive substances and sharp parts
Seat height	Stepless seat height setting from 580-850 mm supported by safety gas spring with protective cover	Seat height can be adapted to nearly 95% of all body sizes, the cover protects the gas spring from dust and dirt
Technology	Permanent contact backrest with additional seat inclination adjustment	This mechanism ensures that the backrest responds immediately to any movements of the upper body by following them. Thus, the back remains supported all the time. The backrest can also be locked into any tilt position if required
	Quick adjustment	There is a continuously variable mechanism for tilting the seat forwards. This ensures that your posture remains relaxed even when you need to bend forwards into your work. Less pressure is exerted on the thigh area, which encourages steady circulation. The problem of sitting all hunched up is masterfully avoided thanks to a mechanism that ensures a minimum angle of 90° between your legs and upper body at all times
		Every function can be operated comfortable and easy in sitting position
Base	Black 5 star base made from plastic. Flat design	Very high stability, longevity and safety Flat design prevents stumbling hazard
Glides	Wearproof plastic glides with a large surface area	Offer a superb level of stability
Foot ring	Foot ring	The foot ring can be retrofitted by attaching it to the chair column
Materials	All materials are separable and recyclable.	Environmentally friendly.

characteristics Isitec 3 with glides and footring

Article: 9613 integral foam

Dimensions in mm	Backrest:	H:	340
	Seat:	H:	580-850
		B:	440
		T:	410

Packing data	Weight	kg	14,0
	Volume	m³	0,13

Standards	DIN 68 877
	German GS "safety tested" mark of conformity
	Quality management system DIN EN ISO 9001
	EEC Directive No. 1836/93 and
	Environmental management system DIN EN ISO 14001

Procuring is insured

Warranty	10 year long term warranty, 3 years full warranty

Guaranteed quality and high efficiency



**characteristics Isitec 3 with glides and footring**

Article: 9613 integral foam

Dimensions in mm	Backrest:	H:	340
		Seat:	H: 580-850
		B:	440
		T:	410
Packing data	Weight	kg	14,0
	Volume	m <sup>3</sup>	0,13



Options		Benefit
Armrests	Loop armrest	Made of polyamide, adjustable in width (20 mm)
	Multifunctional armrest	The armrests are adjustable in height, width and depth to suit the individual user
Options	Steel base	

**PECAUT**  
**ENTREPRISE TECHNIQUE**  
*Depuis 1964*

**PECAUT Entreprise Technique SA**

Rue du Puits-Godet 10, Case postale 692

CH-2002 Neuchâtel

Tél.: 032 710 14 14

E-mail : [info@pecaut.com](mailto:info@pecaut.com)Web : [www.pecaut.com](http://www.pecaut.com)